

## TITLE 327 WATER POLLUTION CONTROL BOARD

### IDEM'S SUGGESTED CHANGES TO FINAL RULE CONCERNING AMENDMENTS TO 327 IAC 8-2 DRINKING WATER STANDARDS LSA Document #99-261(F)

Revisions made by LSA under the Administrative Rules Drafting Manual (IC 4-22-8-4(a) (2)) and incorporated into the printed version (LSA Document #99-261) have been made in the version of the rule presented to the board for final adoption.

- |         |    |  |
|---------|----|--|
| Page 13 | 1. | 327 IAC 8-2-4.2 Methods referenced<br>Delete "Management," after "These methods are also available for copying at the Indiana Department of Environmental Management, Office of Water"<br>Insert " <b>Quality</b> ," after "These methods are also available for copying at the Indiana Department of Environmental Management, Office of Water"<br><br>Delete "46204." after "100 North Senate Avenue, <del>N1254</del> , <b>Room 1255</b> , Indianapolis, <del>IN</del> <b>Indiana</b> "<br>Insert " <b>46206</b> ." after "100 North Senate Avenue, Room <del>1254</del> , <b>1255</b> , Indianapolis, Indiana" |
| Page 17 | 2. | 327 IAC 8-2-5.2(a)(2)<br>Insert " <b>, Rev 1.1</b> " after "as described in Method 515.2"<br>Delete " <b>Method 515.2, Rev 1.0* may be used for compliance monitoring until June 1, 2001.</b> "  |
| Page 17 | 3. | 327 IAC 8-2-5.2(a)(3)<br>Insert " <b>, Rev 1.1</b> " after "as described in Method 515.2"<br>Delete " <b>Method 515.2, Rev 1.0* may be used for compliance monitoring until June 1, 2001.</b> "  |
| Page 17 | 4. | 327 IAC 8-2-5.2(a)(4)<br>Insert " <b>, Rev 2.1</b> " after "as described in Method 505"<br>Insert " <b>, Rev 2.1</b> " after "Method 507"<br>Insert " <b>, Rev 2.0</b> " after "Method 525.2"<br>Insert " <b>, Rev 2.0</b> " after "Method 508.1"<br>Insert " <b>, Rev 1.0</b> " after " <b>or Method 551.1</b> "<br>Delete " <b>Method 505, Rev 2.0*, Method 525.2, Rev 1.0*, and Method 508.1, Rev 1.0* may be used for compliance monitoring until June 1, 2001.</b> "  |
| Page 17 | 5. | 327 IAC 8-2-5.2(a)(5)<br>Insert " <b>, Rev 2.1</b> " after "as described in Method 505"<br>Insert " <b>, Rev 2.1</b> " after "Method 507"<br>Insert " <b>, Rev 2.0</b> " after "Method 508.1"  |

Insert “, **Rev 1.0**” after “or Method 551.1”

Delete “**Method 505, Rev 2.0, and Method 508.1, Rev 1.0\* may be used for compliance monitoring until June 1, 2001.**”

- |         |     |  |
|---------|-----|--|
| Page 17 | 6.  | 327 IAC 8-2-5.2(a)(6)<br>Insert “, <b>Rev 2.0</b> ” after “as described in Method 525.2”<br>Delete “ <b>Method 525.2, Rev 1.0* may be used for compliance monitoring until June 1, 2001.</b> ”   |
| Page 17 | 7.  | 327 IAC 8-2-5.2(a)(7)<br>Insert “, <b>Rev 3.1</b> ” after “as described in Method 531.1”<br>Delete “ <b>Method 531.1, Rev 3.0* may be used for compliance monitoring until June 1, 2001.</b> ”   |
| Page 17 | 8.  | 327 IAC 8-2-5.2(a)(8)<br>Insert “, <b>Rev 2.1</b> ” after “as described in Method 505”<br>Insert “, <b>Rev 3.1</b> ” after “Method 508”<br>Insert “, <b>Rev 2.0</b> ” after “Method 525.2”<br>Insert “, <b>Rev 2.0</b> ” after “or Method 508.1”<br>Delete “ <b>Method 505, Rev 1.0*, Method 508, Rev 3.0*, Method 525.2, Rev 1.0*, and Method 508.1, Rev 1.0* may be used for compliance monitoring until June 1, 2001.</b> ” |
| Page 17 | 9.  | 327 IAC 8-2-5.2(a)(9)<br>Insert “, <b>Rev 1.0</b> ” after “as described in Method 552.1”<br>Insert “, <b>Rev 1.0</b> ” after “ <b>Method 552.2</b> ”   |
| Page 17 | 10. | 327 IAC 8-2-5.2(a)(10)<br>Insert “, <b>Rev 1.1</b> ” after “as described in Method 506”<br>Insert “, <b>Rev 2.0</b> ” after “Method 252.2”   |
| Page 17 | 11. | 327 IAC 8-2-5.2(a)(11)<br>Insert “, <b>Rev 1.1</b> ” after “as described in Method 506”<br>Insert “, <b>Rev 2.0</b> ” after “Method 252.2”   |
| Page 17 | 12. | 327 IAC 8-2-5.2(a)(12)<br>Insert “, <b>Rev 1.1</b> ” after “as described in Method 504.1”<br>Insert “, <b>Rev 1.0</b> ” after “ <b>Method 551.1</b> ”<br>Delete “ <b>Method 504.1, Rev 1.0* may be used for compliance monitoring until June 1, 2001.</b> ”  |
| Page 17 | 13. | 327 IAC 8-2-5.2(a)(13)<br>Insert “, <b>Rev 1.1</b> ” after “as described in Method 515.2”<br>Delete “ <b>Method 515.2, Rev 1.0* may be used for compliance monitoring until June 1, 2001.</b> ”  |

- Page 17      14.      327 IAC 8-2-5.2(a)(16)  
Insert “, **Rev 2.1**” after “as described in Method 505”  
Insert “, **Rev 3.1**” after “Method 508”  
Insert “, **Rev 2.0**” after “Method 525.2”  
Insert “, **Rev 2.0**” after “or Method 508.1”  
Insert “, **Rev 1.0**” after “**Method 551.1**”  
Delete “**Method 505, Rev 2.0\*, Method 508, Rev 3.0\*, Method 525.2, Rev 1.0\*, and Method 508.1, Rev 1.0\*** may be used for compliance monitoring until June 1, 2001.”
- Page 17      15.      327 IAC 8-2-5.2(a)(17)  
Insert “, **Rev 1.1**” after “as described in Method 504.1”  
Insert “, **Rev 1.0**” after “**Method 551.1**”  
Delete “**Method 504.1, Rev 1.0 and Method 551** may be used for compliance monitoring until June 1, 2001.”
- Page 17      16.      327 IAC 8-2-5.2(a)(19)  
Insert “, **Rev 2.1**” after “as described in Method 505”  
Insert “, **Rev 3.1**” after “Method 508”  
Insert “, **Rev 2.0**” after “Method 525.2”  
Insert “, **Rev 2.0**” after “Method 508.1”  
Insert “, **Rev 1.0**” after “**or Method 551.1**”  
Delete “**Method 505, Rev 2.0\*, Method 508, Rev 3.0\*, Method 525.2, Rev 1.0\*, and Method 508.1, Rev 1.0\*** may be used for compliance monitoring until June 1, 2001.”
- Page 17      17.      327 IAC 8-2-5.2(a)(20)  
Insert “, **Rev 2.1**” after “as described in Method 505”  
Insert “, **Rev 3.1**” after “Method 508”  
Insert “, **Rev 2.0**” after “Method 525.2”  
Insert “, **Rev 2.0**” after “Method 508.1”  
Insert “, **Rev 1.0**” after “**or Method 551.1**”  
Delete “**Method 505, Rev 2.0\*, Method 508, Rev 3.0\*, Method 525.2, Rev 1.0\*, and Method 508.1, Rev 1.0\*** may be used for compliance monitoring until June 1, 2001.”
- Page 18      18.      327 IAC 8-2-5.2(a)(21)  
Insert “, **Rev 2.1**” after “as described in Method 505”  
Insert “, **Rev 3.1**” after “Method 508”  
Insert “, **Rev 2.0**” after “Method 525.2”  
Insert “, **Rev 2.0**” after “Method 508.1”  
Insert “, **Rev 1.0**” after “**or Method 551.1**”  
Delete “**Method 505, Rev 2.0\*, Method 508, Rev 3.0\*, Method 525.2, Rev 1.0\*, and Method 508.1, Rev 1.0\*** may be used for compliance monitoring until June 1, 2001.”

- Page 18      19.      327 IAC 8-2-5.2(a)(22)  
Insert “, **Rev 2.1**” after “as described in Method 505”  
Insert “, **Rev 3.1**” after “Method 508”  
Insert “, **Rev 2.0**” after “Method 525.2”  
Insert “, **Rev 2.0**” after “Method 508.1”  
Insert “, **Rev 1.0**” after “or Method 551.1”  
Delete “**Method 505, Rev 2.0\*, Method 508, Rev 3.0\*, Method 525.2, Rev 1.0\*, and Method 508.1, Rev 1.0\*** may be used for compliance monitoring until June 1, 2001.”
- Page 18      20.      327 IAC 8-2-5.2(a)(23)  
Insert “, **Rev 2.1**” after “as described in Method 505”  
Insert “, **Rev 3.1**” after “Method 508”  
Insert “, **Rev 2.0**” after “Method 508.1”  
Insert “, **Rev 1.0**” after “or Method 551.1”  
Delete “**Method 505, Rev 2.0\*, Method 508, Rev 3.0\*, Method 525.2, Rev 1.0\*, and Method 508.1, Rev 1.0\*** may be used for compliance monitoring until June 1, 2001.”
- Page 18      21.      327 IAC 8-2-5.2(a)(24)  
Insert “, **Rev 2.1**” after “as described in Method 505”  
Insert “, **Rev 3.1**” after “Method 508”  
Insert “, **Rev 2.0**” after “Method 508.1”  
Insert “, **Rev 1.0**” after “or Method 551.1”  
Delete “**Method 505, Rev 2.0\*, Method 508, Rev 3.0\*, Method 525.2, Rev 1.0\*, and Method 508.1, Rev 1.0\*** may be used for compliance monitoring until June 1, 2001.”
- Page 18      22.      327 IAC 8-2-5.2(a)(25)  
Insert “, **Rev 3.1**” after “as described in Method 531.1”  
Delete “**Method 531.1, Rev 3.0\*** may be used for compliance monitoring until June 1, 2001.”
- Page 18      23.      327 IAC 8-2-5.2(a)(26)(B)  
Insert “, **Rev 2.1**” after “as described in Method 505”  
Insert “, **Rev 3.1**” after “Method 508”  
Insert “, **Rev 2.0**” after “Method 525.2”  
Insert “, **Rev 2.0**” after “or Method 508.1”  
Delete “**Method 505, Rev 2.0\*, Method 508, Rev 3.0\*, Method 525.2, Rev 1.0\*, and Method 508.1, Rev 1.0\*** may be used for compliance monitoring until June 1, 2001.”
- Page 18      24.      327 IAC 8-2-5.2(a)(27)  
Insert “, **Rev 1.1**” after “as described in Method 515.2”  
Insert “, **Rev 2.0**” after “Method 525.2”  
Delete “**Method 515.2, Rev 1.0\* and Method 525.2, Rev 1.0\*** may be

**used for compliance monitoring until June 1, 2001.”**

- |         |     |   |
|---------|-----|---|
| Page 18 | 25. | 327 IAC 8-2-5.2(a)(28)<br>Insert “, <b>Rev 1.1</b> ” after “as described in Method 515.2”<br>Delete “ <b>Method 515.2, Rev 1.0* may be used for compliance monitoring until June 1, 2001.</b> ”   |
| Page 18 | 26. | 327 IAC 8-2-5.2(a)(29)<br>Insert “, <b>Rev 2.1</b> ” after “as described in Method 505”<br>Insert “, <b>Rev 2.1</b> ” after “Method 507”<br>Insert “, <b>Rev 2.0</b> ” after “Method 525.2”<br>Insert “, <b>Rev 2.0</b> ” after “Method 508.1”<br>Insert “, <b>Rev 1.0</b> ” after “ <b>or Method 551.1</b> ”<br>Delete “ <b>Method 505, Rev 2.0*, Method 508, Rev 3.0*, Method 525.2, Rev 1.0*, and Method 508.1. Rev 1.0* may be used for compliance monitoring until June 1, 2001.</b> ” |
| Page 18 | 27. | 327 IAC 8-2-5.2(a)(30)<br>Insert “, <b>Rev 2.1</b> ” after “as described in Method 505”<br>Insert “, <b>Rev 3.1</b> ” after “Method 508”<br>Insert “, <b>Rev 2.0</b> ” after “Method 525.2”<br>Insert “, <b>Rev 2.0</b> ” after “ <b>or Method 508.1</b> ”<br>Delete “ <b>Method 505, Rev 2.0*, Method 508, Rev 3.0*, Method 525.2, Rev 1.0*, and Method 508.1, Rev 1.0* may be used for compliance monitoring until June 1, 2001.</b> ”  |
| Page 18 | 28. | 327 IAC 8-2-5.2(a) footnote <sup>1</sup><br>Insert “ <b>Rev 2.1,</b> ” after “ <b>detector specified in Method 505,</b> ”<br>Insert “ <b>Rev 2.1,</b> ” after “ <b>Method 507,</b> ”<br>Insert “ <b>Rev 3.1,</b> ” after “ <b>Method 508,</b> ”<br>Insert “, <b>Rev 3.0</b> ” after “ <b>or Method 508.1</b> ”  |
| Page 18 | 29. | 327 IAC 8-2-5.2(a) footnote <sup>2</sup><br>Insert “, <b>Rev 2.1</b> ” after “ <b>Users of Method 505</b> ”<br>Insert “ <b>Rev 2.0,</b> ” after “ <b>than users of Method 508.1,</b> ”<br>Insert “ <b>Rev 2.0,</b> ” after “ <b>Method 525.2,</b> ”<br>Insert “, <b>Rev 3.1</b> ” after “ <b>or Method 508</b> ”  |
| Page 18 | 30. | 327 IAC 8-2-5.2(a) footnote <sup>3</sup><br>Insert “ <b>Rev 1.1,</b> ” after “ <b>Method 515.2,</b> ”   |
| Page 18 | 31. | 327 IAC 8-2-5.2(b)(1)<br>Insert “, <b>Rev 2.1</b> ” after “each sample using either Method 505”<br>Insert “, <b>Rev 3.1,</b> ” after “Method 508”<br>Insert “, <b>Rev 2.0,</b> ” after “ <b>Method 508.1</b> ”<br>Insert “, <b>Rev 2.0,</b> ” after “ <b>or Method 525.2</b> ”<br>Insert “, <b>Rev 2.1</b> ” after “ <b>Users of Method 505</b> ”   |

Insert “**Rev 2.0,**” after “**than users of Method 508.1,**”  
 Insert “**Rev 2.0,**” after “**Method 525.2,**”  
 Insert “**, Rev 3.1**” after “**or Method 508**”

- |         |     |   |
|---------|-----|---|
| Page 19 | 32. | 327 IAC 8-2-5.2(b)(2)<br>Insert “ <b>, Rev 2.1</b> ” after “in any sample analyzed using Method 505”<br>Insert “ <b>, Rev 3.1</b> ” after “or Method 508”   |
| Page 20 | 33. | 327 IAC 8-2-5.2 Method Reference (4)<br>Insert “ <b>Rev 1.1,</b> ” after “Methods <b>504.1,</b> ”<br>Insert “ <b>Rev 2.1,</b> ” after “505,”<br>Insert “ <b>Rev 1.1,</b> ” after “506,”<br>Insert “ <b>Rev 2.1,</b> ” after “507,”<br>Insert “ <b>Rev 3.1,</b> ” after “508,”<br>Insert “ <b>Rev 2.0,</b> ” after “ <b>508.1,</b> ”<br>Insert “ <b>Rev 1.1,</b> ” after “515.2,”<br>Insert “ <b>Rev 2.0,</b> ” after “ <b>525.2,</b> ”<br>Insert “ <b>Rev 3.1,</b> ” after “531.1,”<br>Insert “ <b>Rev 1.0,</b> ” after “ <b>551.1,</b> ”<br>Insert “ <b>, Rev 1.0</b> ” after “ <b>552.2</b> ” |
| Page 21 | 34. | 327 IAC 8-2-5.2 Method Reference (10)<br>Delete “ <b>, or in any edition published after 1993</b> ” after “ <b>West Conshohocken, Pennsylvania 19428</b> ”<br>Insert “ <b>Method D5317-93 may also be found in any other edition of the “Annual Book of ASTM Standards” published from 1993 until the effective date of this rule.</b> ” after “ <b>West Conshohocken, Pennsylvania 19428</b> ”   |
| Page 21 | 35. | 327 IAC 8-2-5.2 Method References (11), (12), (13), and (14)<br>Delete all four (4) of these Method References  |
| Page 21 | 36. | 327 IAC 8-2-5.2 Methods referenced<br>Delete “Management,” after “These methods are available for copying at the Indiana Department of Environmental Management, Office of Water”<br>Insert “ <b>Quality,</b> ” after “These methods are available for copying at the Indiana Department of Environmental Management, Office of Water”<br><br>Delete “46204.” after “100 North Senate Avenue, <del>Room 1254,</del> <b>Room 1255,</b> Indianapolis, Indiana”<br>Insert “ <b>46206.</b> ” after “100 North Senate Avenue, <del>Room 1254,</del> <b>Room 1255,</b> Indianapolis, Indiana”         |
| Page 23 | 37. | 327 IAC 8-2-5.3(e)(1)<br>Insert “ <b>, Rev 2.1</b> ” after “Method 502.2”   |
| Page 23 | 38. | 327 IAC 8-2-5.3(e)(4)   |

|         |     |   |
|---------|-----|---|
|         |     | Delete subdivision <b>(4)</b>   |
| Page 23 | 39. | 327 IAC 8-2-5.3(e)(5)<br>Delete subdivision <b>(5)</b>  |
| Page 24 | 40. | 327 IAC 8-2-5.3 Method Reference (1)<br>Insert “, <b>Rev 2.1</b> ” after “(1) Method 502.2”   |
| Page 24 | 41. | 327 IAC 8-2-5.3 Method Reference (4)<br>Delete Method Reference <b>(4)</b>  |
| Page 24 | 42. | 327 IAC 8-2-5.3 Method Reference (5)<br>Delete Method Reference <b>(5)</b>  |
| Page 25 | 43. | 327 IAC 8-2-5.3 Methods referenced<br>Delete “Management,” after “These methods are available for copying at the Indiana Department of Environmental Management, Office of Water”<br>Insert “ <b>Quality</b> ,” after “These methods are available for copying at the Indiana Department of Environmental Management, Office of Water”<br><br>Delete “46204.” after “100 North Senate Avenue, <del>N1254</del> , <b>Room 1255</b> , Indianapolis, <del>IN</del> <b>Indiana</b> ”<br>Insert “ <b>46206</b> .” after “100 North Senate Avenue, <del>N1254</del> , <b>Room 1255</b> , Indianapolis, <del>IN</del> <b>Indiana</b> ” |
| Page 28 | 44. | 327 IAC 8-2-5.5(a)(14)(D)(ii)<br>Insert “ <b>(4)</b> ” after “The samples must be cooled at four”<br>Delete “ <b>(4)</b> ” after “degrees”  |
| Page 30 | 45. | 327 IAC 8-2-5.6(a)(1)<br>Insert “, <b>Rev 2.1</b> ” after “as described in Method 502.2”<br>Insert “, <b>Rev 4.1</b> ” after “or Method 524.2”<br>Delete “ <b>Method 502.2, Rev 2.0* and Method 524.2, Rev 4.0* may be used for compliance monitoring until June 1, 2001.</b> ”   |
| Page 30 | 46. | 327 IAC 8-2-5.6(a)(2)<br>Insert “, <b>Rev 2.1</b> ” after “as described in Method 502.2”<br>Insert “, <b>Rev 4.1</b> ” after “Method 524.2”<br>Insert “, <b>Rev 1.0</b> ” after “ <b>Method 551.1</b> ”<br>Delete “ <b>Method 502.2, Rev 2.0* , Method 524.2, Rev 4.0*, and Method 551* may be used for compliance monitoring until June 1, 2001.</b> ”   |
| Page 30 | 47. | 327 IAC 8-2-5.6(a)(3)<br>Insert “, <b>Rev 2.1</b> ” after “as described in Method 502.2”<br>Insert “, <b>Rev 4.1</b> ” after “or Method 524.2”<br>Delete “ <b>Method 502.2, Rev 2.0* and Method 524.2, Rev 4.0* may be</b>  |

**used for compliance monitoring until June 1, 2001.”**

- Page 30      48.      327 IAC 8-2-5.6(a)(4)  
Insert “, **Rev 2.1**” after “as described in Method 502.2”  
Insert “, **Rev 4.1**” after “or Method 524.2”  
Delete “**Method 502.2, Rev 2.0\* and Method 524.2, Rev 4.0\* may be used for compliance monitoring until June 1, 2001.**”
- Page 30      49.      327 IAC 8-2-5.6(a)(5)  
Insert “, **Rev 2.1**” after “as described in Method 502.2”  
Insert “, **Rev 4.1**” after “or Method 524.2”  
Delete “**Method 502.2, Rev 2.0\* and Method 524.2, Rev 4.0\* may be used for compliance monitoring until June 1, 2001.**”
- Page 30      50.      327 IAC 8-2-5.6(a)(6)  
Insert “, **Rev 2.1**” after “as described in Method 502.2”  
Insert “, **Rev 4.1**” after “or Method 524.2”  
Delete “**Method 502.2, Rev 2.0\* and Method 524.2, Rev 4.0\* may be used for compliance monitoring until June 1, 2001.**”
- Page 30      51.      327 IAC 8-2-5.6(a)(7)  
Insert “, **Rev 2.1**” after “as described in Method 502.2”  
Insert “, **Rev 4.1**” after “or Method 524.2”  
Delete “**Method 502.2, Rev 2.0\* and Method 524.2, Rev 4.0\* may be used for compliance monitoring until June 1, 2001.**”
- Page 30      52.      327 IAC 8-2-5.6(a)(8)  
Insert “, **Rev 2.1**” after “as described in Method 502.2”  
Insert “, **Rev 4.1**” after “or Method 524.2”  
Delete “**Method 502.2, Rev 2.0\* and Method 524.2, Rev 4.0\* may be used for compliance monitoring until June 1, 2001.**”
- Page 30      53.      327 IAC 8-2-5.6(a)(9)  
Insert “, **Rev 2.1**” after “as described in Method 502.2”  
Insert “, **Rev 4.1**” after “or Method 524.2”  
Delete “**Method 502.2, Rev 2.0\* and Method 524.2, Rev 4.0\* may be used for compliance monitoring until June 1, 2001.**”
- Page 30      54.      327 IAC 8-2-5.6(a)(10)  
Insert “, **Rev 2.1**” after “as described in Method 502.2”  
Insert “, **Rev 4.1**” after “or Method 524.2”  
Delete “**Method 502.2, Rev 2.0\* and Method 524.2, Rev 4.0\* may be used for compliance monitoring until June 1, 2001.**”
- Page 30      55.      327 IAC 8-2-5.6(a)(11)  
Insert “, **Rev 2.1**” after “as described in Method 502.2”



Insert “, **Rev 4.1**” after “or Method 524.2”

Delete “**Method 502.2, Rev 2.0\* and Method 524.2, Rev 4.0\* may be used for compliance monitoring until June 1, 2001.**”

- Page 30      56.      327 IAC 8-2-5.6(a)(12)  
Insert “, **Rev 2.1**” after “as described in Method 502.2”  
Insert “, **Rev 4.1**” after “or Method 524.2”  
Delete “**Method 502.2, Rev 2.0\* and Method 524.2, Rev 4.0\* may be used for compliance monitoring until June 1, 2001.**”
- Page 30      57.      327 IAC 8-2-5.6(a)(13)  
Insert “, **Rev 2.1**” after “as described in Method 502.2”  
Insert “, **Rev 4.1**” after “Method 524.2”  
Insert “, **Rev 1.0**” after “**Method 551.1**”  
Delete “**Method 502.2, Rev 2.0\*, Method 524.2, Rev 4.0\*, and Method 551\* may be used for compliance monitoring until June 1, 2001.**”
- Page 30      58.      327 IAC 8-2-5.6(a)(14)  
Insert “, **Rev 2.1**” after “as described in Method 502.2”  
Insert “, **Rev 4.1**” after “Method 524.2”  
Insert “, **Rev 1.0**” after “**Method 551.1**”  
Delete “**Method 502.2, Rev 2.0\*, Method 524.2, Rev 4.0\*, and Method 551\* may be used for compliance monitoring until June 1, 2001.**”
- Page 30      59.      327 IAC 8-2-5.6(a)(15)  
Insert “, **Rev 2.1**” after “as described in Method 502.2”  
Insert “, **Rev 4.1**” after “Method 524.2”  
Insert “, **Rev 1.0**” after “**Method 551.1**”  
Delete “**Method 502.2, Rev 2.0\*, Method 524.2, Rev 4.0\*, and Method 551\* may be used for compliance monitoring until June 1, 2001.**”
- Page 30      60.      327 IAC 8-2-5.6(a)(16)  
Insert “, **Rev 2.1**” after “as described in Method 502.2”  
Insert “, **Rev 4.1**” after “or Method 524.2”  
Delete “**Method 502.2, Rev 2.0\* and Method 524.2, Rev 4.0\* may be used for compliance monitoring until June 1, 2001.**”
- Page 31      61.      327 IAC 8-2-5.6(a)(17)  
Insert “, **Rev 2.1**” after “as described in Method 502.2”  
Insert “, **Rev 4.1**” after “or Method 524.2”  
Delete “**Method 502.2, Rev 2.0\* and Method 524.2, Rev 4.0\* may be used for compliance monitoring until June 1, 2001.**”
- Page 31      62.      327 IAC 8-2-5.6(a)(18)  
Insert “, **Rev 2.1**” after “as described in Method 502.2”  
Insert “, **Rev 4.1**” after “or Method 524.2”

Delete “**Method 502.2, Rev 2.0\* and Method 524.2, Rev 4.0\* may be used for compliance monitoring until June 1, 2001.**”

- Page 31      63.      327 IAC 8-2-5.6(a)(19)  
Insert “, **Rev 2.1**” after “as described in Method 502.2”  
Insert “, **Rev 4.1**” after “Method 524.2”  
Insert “, **Rev 1.0**” after “or Method 551.1”  
Delete “**Method 502.2, Rev 2.0\* and Method 524.2, Rev 4.0\* may be used for compliance monitoring until June 1, 2001.**”
- Page 31      64.      327 IAC 8-2-5.6(a)(20)  
Insert “, **Rev 2.1**” after “as described in Method 502.2”  
Insert “, **Rev 4.1**” after “or Method 524.2”  
Delete “**Method 502.2, Rev 2.0\* and Method 524.2, Rev 4.0\* may be used for compliance monitoring until June 1, 2001.**”
- Page 31      65.      327 IAC 8-2-5.6(a)(21)  
Insert “, **Rev 2.1**” after “as described in Method 502.2”  
Insert “, **Rev 4.1**” after “or Method 524.2”  
Delete “**Method 502.2, Rev 2.0\* and Method 524.2, Rev 4.0\* may be used for compliance monitoring until June 1, 2001.**”
- Page 31      66.      327 IAC 8-2-5.6(b)  
Delete “EPA or” after “shall only be conducted by laboratories that are certified by”  
Insert “**or EPA under 40 CFR 141.28\*.**” after “the commissioner”
- Page 32      67.      327 IAC 8-2-5.6 Methods Reference (1)  
Delete Method Reference (1)
- Page 32      68.      327 IAC 8-2-5.6 Methods Reference (2)  
Delete Method Reference (2)
- Page 32      69.      327 IAC 8-2-5.6 Methods Reference (3)  
Renumber Method Reference (3) as (1)
- Page 32      70.      327 IAC 8-2-5.6 Methods Reference (4)  
Renumber Method Reference (4) as (2)  
Insert “**Rev 2.1,**” after “**Methods 502.2,**”  
Insert “**Rev 4.1,**” after “**524.2,**”  
Insert “, **Rev 1.0**” after “**551.1**”
- Page 32      71.      327 IAC 8-2-5.6 Methods Reference  
Insert “**(3) 40 CFR 141.28 may be obtained from the Superintendent of Documents, Government Printing Office, Washington, D.C., 20402.**”  
after the Method Reference renumbered from (4) to (2)

Insert “**Office of Water Quality**,” after “These methods are available for copying at the Indiana Department of Environmental Management,”

Delete “46204.” after “100 North Senate Avenue, Room ~~1254~~, **1255**, Indianapolis, Indiana”

Insert “**46206.**” after “100 North Senate Avenue, Room ~~1254~~, **1255**, Indianapolis, Indiana”

- |         |     |  |
|---------|-----|--|
| Page 37 | 72. | 327 IAC 8-2-8.4(a)(3)(A)<br>Delete “ <sup>2, 3, 4</sup> ” after “Total coliform fermentation technique”<br>Insert “ <sup>1, 2, 3</sup> ” after “Total coliform fermentation technique”   |
| Page 37 | 73. | 327 IAC 8-2-8.4(a)(3)(B)<br>Delete “ <sup>5</sup> ” after “Total coliform membrane filter technique”<br>Insert “ <sup>4</sup> ” after “Total coliform membrane filter technique”   |
| Page 37 | 74. | 327 IAC 8-2-8.4(a)(3)(C)<br>Delete “ <sup>4</sup> ” after “Presence-absence (P-A) coliform test”<br>Insert “ <sup>3</sup> ” after “Presence-absence (P-A) coliform test”<br>Delete “ <sup>6</sup> ” after “Presence-absence (P-A) coliform test <sup>4, 5</sup> ”<br>Insert “ <sup>5</sup> ” after “Presence-absence (P-A) coliform test <sup>4, 5</sup> ” |
| Page 37 | 75. | 327 IAC 8-2-8.4(a)(3)(D)<br>Delete “ <sup>7</sup> ” after “ONPG-MUG test <sup>6</sup> ”<br>Insert “ <sup>6</sup> ” after “after “ONPG-MUG test <sup>6</sup> ”  |
| Page 37 | 76. | 327 IAC 8-2-8.4(a)(3)(E)<br>Delete “ <sup>8</sup> ” after “Colisure test* <sup>7</sup> / <sub>7</sub> ”<br>Insert “ <sup>7</sup> ” after “Colisure test* <sup>7</sup> / <sub>7</sub> ”   |
| Page 39 | 77. | 327 IAC 8-2-8.4(b) footnote <sup>1</sup><br>Delete the footnote notation “ <sup>1</sup> ”<br>Reletter the footnote as a new subsection ( <b>c</b> )<br>Renumber each footnote <sup>2</sup> through footnote <sup>8</sup> by a number one (1) less than showing in the rule   |
| Page 39 | 78. | 327 IAC 8-2-8.4(b) footnote <sup>9</sup><br>Delete the footnote notation “ <sup>9</sup> ”<br>Reletter the footnote as a new subsection ( <b>d</b> )  |
| Page 40 | 79. | 327 IAC 8-2-8.4 Methods referenced<br>Delete “Management,” after “These methods are available for copying at the Indiana Department of Environmental Management, Office of Water”<br>Insert “ <b>Quality</b> ,” after “These methods are available for copying at the Indiana Department of Environmental Management, Office of Water”                     |

Delete “46204.” after “100 North Senate Avenue, Room 1255,  
Indianapolis, ~~IN~~ **Indiana**”

Insert “**46206.**” after “100 North Senate Avenue, Room 1255,  
Indianapolis, ~~IN~~ **Indiana**”

Page 40

80.

327 IAC 8-2-8.7

Delete “**by a person approved by the commissioner.**” after  
“**Measurements for pH, turbidity, temperature, and residual  
disinfectant concentrations must be conducted**”

Insert “**using methods specified in this rule.**” after “**Measurements for  
pH, turbidity, temperature, and residual disinfectant concentrations  
must be conducted**”

Delete “**to do such analysis.**” after “**a laboratory certified by the  
commissioner or EPA**”

Insert “**under 40 CFR 141.28\*.**” after “**a laboratory certified by the  
commissioner or EPA**”

Page 42

81.

327 IAC 8-2-8.7 methods incorporated by reference

Insert “**(4) 40 CFR 141.28 may be obtained from the Superintendent of  
Documents, Government Printing Office, Washington, D.C., 20402.**”  
after “~~(2)~~ **(3)** The Great Lakes Instrument (GLI) Method 2 may be found  
in “Turbidity”, November 2, 1992, Great Lakes Instruments, Inc., 8855  
North 55th Street, Milwaukee, Wisconsin 53223.”

Delete “**Management,**” after “These methods are available for copying at  
the Indiana Department of Environmental Management, Office of Water”

Insert “**Quality,**” after “These methods are available for copying at the  
Indiana Department of Environmental Management, Office of Water”

Delete “46204.” after “100 North Senate Avenue, Room 1255,  
Indianapolis, ~~IN~~ **Indiana**”

Insert “**46206.**” after “100 North Senate Avenue, Room 1255, Indianapolis,  
~~IN~~ **Indiana**”

Page 48

82.

327 IAC 8-2-13(e)(5)

Delete “**approved**” after “**Other means**”

Insert “**determined**” after “**Other means**”

Insert “**to provide the degree of confidentiality, reliability,  
convenience, and security appropriate to the information to be  
submitted.**” after “**by the commissioner**”

Page 52

83.

327 IAC 8-2-21 Methods referenced

Delete “**Management,**” after “These methods are available for copying at

the Indiana Department of Environmental Management, Office of Water”  
Insert “**Quality,**” after “These methods are available for copying at the  
Indiana Department of Environmental Management, Office of Water”

Delete “46204.” after “100 North Senate Avenue, Room 1255,  
Indianapolis, ~~IN~~ **Indiana**”

Insert “**46206.**” after “100 North Senate Avenue, Room 1255, Indianapolis,  
~~IN~~ **Indiana**”

- Page 53      84.      327 IAC 8-2-33(a)  
Delete “certified by the commissioner, except that” after “**may be considered** only if they have been analyzed by a laboratory”  
Delete “**measurements for alkalinity, conductivity, disinfectant residual, orthophosphate, pH, silica, temperature, and turbidity** may be performed by any person acceptable to the commissioner.” after “~~measurement for turbidity, chlorine residual, temperature, and pH~~”  
Insert “**using methods specified in this rule.**” after “**may be considered** only if they have been analyzed by a laboratory”

- Page 56      85.      327 IAC 8-2-45 Methods referenced  
Delete “ Management,” after “These methods are also available for copying at the Indiana Department of Environmental Management, Office of Water”  
Insert “**Quality,**” after “These methods are also available for copying at the Indiana Department of Environmental Management, Office of Water”

Delete “46204.” after “100 North Senate Avenue, ~~N1254~~, **Room 1255**, Indianapolis, ~~IN~~ **Indiana**”

Insert “**46206.**” after “100 North Senate Avenue, ~~N1254~~, **Room 1255**, Indianapolis, ~~IN~~ **Indiana**”

- Page 59      86.      327 IAC 8-2-46  
Insert a new subsection (**h**) to read as follows:  
“(h) A water system is not required to report the ninetieth percentile lead and copper concentrations measured from among all lead and copper tap water samples collected in each monitoring period as required by subsection (a)(1)(C) if the following conditions are met:  
    (1) The commissioner has previously notified the water system that it will calculate the water system’s ninetieth percentile lead and copper concentrations, based on the lead and copper results submitted pursuant to subdivision (2)(A), and has specified a date before the end of the applicable monitoring period by which the system must provide the results of lead and copper tap water samples.  
    (2) The system has provided the following information to the commissioner by the date specified in subdivision (1):

**(A) The results of all tap samples for lead and copper including the location of each site and the criteria under section 37(a)(3), 37(a)(4), 37(a)(5), 37(a)(6), or 37(a)(7) of this rule, under which the site was selected for the system's sampling pool, pursuant to subsection (a)(1)(A).**

**(B) An identification of the sampling sites utilized during the current monitoring period that were not sampled during previous monitoring periods, and an explanation why sampling sites have changed.**

**(3) The commissioner has provided the results of the ninetieth percentile lead and copper calculations, in writing, to the water system before the end of the monitoring period."**

Page 59

87. 327 IAC 8-2-46  
Reletter subsection **(h)** as **(i)**